



# JTM-1254RVS with Acu-Rite 303 3X (Q) DRO, X,Y&Z Powerfeeds

## Product Images

---



## Short Description

---

JTM-1254RVS with Acu-Rite 303 3X (Q) DRO, X,Y&Z Powerfeeds

## Additional Information

---

|  |                              |
|--|------------------------------|
| Stock Number                                   | 698179                       |
| Column Width (In.)                             | 14-1/4                       |
| Distance Spindle to Column (Max.) (In.)        | 27-3/4                       |
| Max Distance Spindle to Table (In.)            | 23                           |
| Model Number                                   | JTM-1254RVS                  |
| Motor (HP)                                     | 5HP, 230/460V, 3Ph           |
| Number of Axis                                 | 3 (Quill)                    |
| Overall Dimensions (L x W x H) (In.)           | 92-1/8 x 79-7/8 x 104-1/4    |
| Prop 65  | Cancer and Reproductive Harm |
| Quill Diameter (In.)                           | 4-1/8                        |
| Quill Down Feed Rates (IPR)                    | .0015-.003-.008              |
| Range of Spindle Speeds (RPM)                  | 80 - 3,800                   |
| Saddle Width (In.)                             | 25-5/8                       |
| Spindle Taper (In. x TPI)                      | R-8                          |
| Spindle Travel (In.)                           | 5                            |
| Style (Type)                                   | Variable Speed R8            |
| T-Slot Centers (In.)                           | 2-1/2                        |
| Table Cross Travel (In.)                       | 15-1/3                       |
| Table Longitudinal Travel (In.)                | 33-7/8                       |
| Table Longitudinal Travel With Powerfeed (In.) | 28-1/4                       |
| Table Size (L x W) (In.)                       | 12 x 54                      |
| Travel of Knee (In.)                           | 19-1/4                       |
| Travel of Ram (In.)                            | 25                           |
| Warranty                                       | 2 Year                       |

|                                   |        |
|-----------------------------------|--------|
| Weight (Lbs.)                     | 3969   |
| Work Table Weight Capacity (Lbs.) | 925    |
| Gross Weight                      | 3696.0 |

