



GHD-20PFT, 20" Gear Head Tapping Drill Press With Power Down feed 230V, 3Ph

Product Images



Short Description

GHD-20PFT, 20" Gear Head Tapping Drill Press With Power Down feed 230V, 3Ph

Additional Information

Stock Number	JT9-354026
Base Dimensions (In.)	26 x 18
Base Work Table (In.)	15-1/4 x 13
Column Diameter (In.)	4-1/2
Distance Column to Spindle (In.)	10
Drilling Capacity Cast Iron (In.)	1-1/2
Drilling Capacity Mild Steel (In.)	1-1/4
Drills to Center of Circle (In.)	20
Model Number	GHD-20PFT
Motor (HP)	2 HP (2 Speed) , 230V, 3Ph
Overall Dimensions (L x W x H) (In.)	32 x 24 x 71
Prop 65	Cancer and Reproductive Harm
Quill Diameter (In.)	3
Quill Feed	Manual
Range of Spindle Speeds (RPM)	60, 120, 130, 230, 260, 450, 460, 800, 900, 1,500, 1,600, 3,000
Spindle Distance to Base (In.)	44-5/16
Spindle Distance to Table (Max.) (In.)	30-1/2
Spindle Taper (In. x TPI)	MT-3
Spindle Travel (In.)	4-1/2
Style (Type)	Geared Head
T-Slot Centers (In.)	9
Table Size (L x W) (In.)	21-3/4 x 19-1/2
Table Travel (In.)	25-1/2
Tapping Capacity Cast Iron (In.)	15/16

Tapping Capacity Mild Steel (In.)	15/16
Warranty	2 Year
Weight (Lbs.)	708
Work Table Weight Capacity (Lbs.)	275
Gross Weight	708.0

