



JDP-20EVST-460, 1-1/2" Drilling Capacity, 2HP, 460V, 3Ph with Forward and Reverse Tapping capability

Product Images



Short Description

The JET JDP-20EVST-460, 1-1/2" Drilling Capacity, 2HP, 460V, 3Ph with Forward and Reverse Tapping capability

Additional Information

Stock Number	JT9-354226
Base Dimensions (In.)	27 x 19
Column Diameter (In.)	4-1/2
Distance Column to Spindle (In.)	10-7/16
Drilling Capacity Cast Iron (In.)	1-1/2
Drilling Capacity Mild Steel (In.)	1-3/8
Drills to Center of Circle (In.)	20
Inverter Type	M Type 460V 1/3Ph
Model Number	JDP-20EVST-460
Motor (HP)	2HP, 460V, 3 Ph
Overall Dimensions (L x W x H) (In.)	38.18 x27.16 x 79.52
Prop 65	Cancer and Reproductive Harm
Range of Spindle Speeds (RPM)	65-540 /245- 2,000
Spindle Distance to Base (In.)	44-1/2
Spindle Distance to Table (Max.) (In.)	30-1/4
Spindle Taper (In. x TPI)	MT-3
Spindle Travel (In.)	6
Style (Type)	Variable Speed
T-Slot Centers (In.)	7-7/16
Table Size (L x W) (In.)	22x18-3/4
Table Travel (In.)	20
Tapping Capacity Cast Iron (In.)	7/8
Tapping Capacity Mild Steel (In.)	3/4
Warranty	2 Year
Weight (Lbs.)	792

Work Table Weight Capacity (Lbs.)

154

Gross Weight

792.0

