



# JDP-20VST , Variable Speed with Tapping 1-1/2 Drilling Capacity, 2HP, 230V, 3Ph

## Product Images

---



## Short Description

---

The JET JDP-20VST , 1-1/2 Drilling Capacity, 2HP, 230V, 3Ph

## Additional Information

---

Stock Number	JT9-354240
Base Dimensions (In.)	27 x 19
Column Diameter (In.)	4-1/2
Drilling Capacity Cast Iron (In.)	1-1/2
Drilling Capacity Mild Steel (In.)	1-3/8
Drills to Center of Circle (In.)	20
Model Number	JDP-20VST
Motor (HP)	2HP, 230V,3ph
Overall Dimensions (L x W x H) (In.)	38.18 x27.16 x 79.52
Prewired Voltage (V.)	230
Prop 65	Cancer and Reproductive Harm
Range of Spindle Speeds (RPM)	150 - 2,000
Spindle Distance to Base (In.)	44-1/2
Spindle Distance to Table (Max.) (In.)	30-1/4
Spindle Taper (In. x TPI)	MT-3
Spindle Travel (In.)	6
Style (Type)	Variable Speed
Swing (In.)	20
T-Slot Centers (In.)	7-7/16
Table Size (L x W) (In.)	22x18-3/4
Table Travel (In.)	20
Tapping Capacity Cast Iron (In.)	3/4
Tapping Capacity Mild Steel (In.)	5/8
Warranty	2 Year
Weight (Lbs.)	780

Work Table Weight Capacity (Lbs.)	154
-----------------------------------	-----

Gross Weight	780.0
--------------	-------

