





# EVS-1440 Electronic Variable Speed lathe with Taper Attachment & Collet Closer,3HP

## Product Images

---



## Short Description

---

EVS-1440 Electronic Variable Speed lathe with Taper Attachment & Collet Closer,3HP, 230, 3Ph

## Additional Information

---

Stock Number	JT9-311443
Compound Slide Travel (In.)	3-1/2
Cross Slide Travel (In.)	7
Gross Weight (Lbs)	1584
Length of Gap (In.)	9-1/2
Max Tool Size (In.)	3/4 x 3/4
Model Number	EVS-1440B
Motor (HP)	3 HP, 230V, 3Ph
Net Weight (Lbs.)	1320
Number of Inch Threads	34.0000
Number of Longitudinal and Cross Feed Rates	25
Number of Metric Threads	34.0000
Overall Dimensions (L x W x H) (In.)	68.5 x 28.3 x 50
Prop 65	Cancer and Reproductive Harm
Range of Cross Feeds (IPR)	25
Range of Inch Threads (TPI)	2-56
Range of Longitudinal Feeds (IPR)	0.0016-0.0460
Range of Metric Threads	0.5-12
Range of Spindle Speeds (RPM)	40-2000
Spindle Bore (In.)	1-1/2
Spindle Mount	D1-4
Spindle Taper with Sleeve	MT-5
Steady Rest Capacity (In.)	0.23-0.61 Copper Shaft ( Standard) 0.20-2.36 Bearing Roller(OP)
Swing Over Bed (In.)	14

Swing Over Cross Slide (In.)	9-1/16
Tailstock Spindle Travel (In.)	6-1/8
Taper in Tailstock Spindle	MT-3
Warranty	2 Year
Gross Weight	1584.0

