



EVS-1440 Electronic Variable Speed lathe with Newall DP700 DRO and Collet Closer, 3HP

Product Images



Short Description

EVS-1440 Electronic Variable Speed lathe with Newall DP700 DRO and Collet Closer, 3HP, 230, 3Ph

Additional Information

Stock Number	JT9-311449
Compound Slide Travel (In.)	3-1/2
Cross Slide Travel (In.)	7
Gross Weight (Lbs)	1584
Length of Gap (In.)	9-1/2
Max Tool Size (In.)	3/4 x 3/4
Model Number	EVS-1440B
Motor (HP)	3HP, 230V, 3Ph
Net Weight (Lbs.)	1320
Number of Inch Threads	34.0000
Number of Longitudinal and Cross Feed Rates	25
Number of Metric Threads	34.0000
Overall Dimensions (L x W x H) (In.)	68.5 x 28.3 x 50
Prop 65	None
Range of Inch Threads (TPI)	2-56
Range of Longitudinal Feeds (IPR)	0.0016-0.0460
Range of Metric Threads	0.5-12
Range of Spindle Speeds (RPM)	40-2000
Spindle Bore (In.)	1-1/2
Spindle Mount	D1-4
Spindle Taper with Sleeve	MT-5
Steady Rest Capacity (In.)	0.23-0.61 Copper Shaft (Standard) 0.20-2.36 Bearing Roller(OP)
Swing Over Bed (In.)	14
Swing Over Cross Slide (In.)	9-1/16

Tailstock Spindle Travel (In.)	6-1/8
Taper in Tailstock Spindle	MT-3
Warranty	2 Year
Width of Bed (In.)	7.48
Gross Weight	1584.0

