



BDB-919 Belt Drive Bench Lathe with stand

Product Images



Short Description

BDB-919 Belt Drive Bench Lathe with stand

Additional Information

| | |
|---|------------------------------|
| Stock Number | JT9-321370K |
| Carriage Travel (In.) | 17.5 |
| Compound Slide Travel (In.) | 1-7/8 |
| Max Tool Size (In.) | 1/2 |
| Model Number | BDB-919 |
| Motor (HP) | 3/4 HP, 115V, 1PH |
| Number of Inch Threads | 27.0000 |
| Number of Longitudinal and Cross Feed Rates | 60 |
| Number of Metric Threads | 12.0000 |
| Number of Spindle Speeds | 6 |
| Overall Dimensions (L x W x H) (In.) | 41 x 22 x 20 |
| Prop 65 | Cancer and Reproductive Harm |
| Range of Inch Threads (TPI) | 8 - 56 |
| Range of Longitudinal Feeds (IPR) | 0.0006-0.0368 |
| Range of Metric Threads | 0.5 - 3.5 |
| Range of Spindle Speeds (RPM) | 130-2000 |
| Spindle Bore (In.) | 3/4 |
| Spindle Mount | 1-1/2 x 8TPI |
| Spindle Taper with Sleeve | MT-3 |
| Steady Rest Capacity (In.) | 1-3/4 |
| Swing Over Bed (In.) | 8-3/4 |
| Swing Over Cross Slide (In.) | 5 |
| Tailstock Spindle Travel (In.) | 1-9/16 |
| Taper in Tailstock Spindle | MT-2 |

Weight (Lbs.)

250

Width of Bed (In.)

4-1/2

