



# GH-1440-3 Geared Head Lathe

## Product Images

---



## Short Description

---

GH-1440-3 Geared Head Lathe

## Additional Information

---

|   |                              |
|---|------------------------------|
| Stock Number                                | JT9-322840                   |
| Carriage Travel (In.)                       | 37-1/2                       |
| Compound Slide Travel (In.)                 | 3-1/2                        |
| Length of Gap (In.)                         | 9-3/8                        |
| Max Tool Size (In.)                         | 5/8 x 5/8                    |
| Model Number                                | GH-1440-3                    |
| Motor (HP)                                  | 3HP, 230/460V, 3PH           |
| Number of Inch Threads                      | 40.0000                      |
| Number of Longitudinal and Cross Feed Rates | 40                           |
| Number of Metric Threads                    | 23.0000                      |
| Number of Spindle Speeds                    | 12                           |
| Overall Dimensions (L x W x H) (In.)        | 74-4/5 x 28 x 46             |
| Prop 65                                     | Cancer and Reproductive Harm |
| Range of Cross Feeds (IPR)                  | 0.0004 - 0.0103              |
| Range of Inch Threads (TPI)                 | 4-112                        |
| Range of Longitudinal Feeds (IPR)           | 0.0012 - 0.0294              |
| Range of Metric Threads                     | 0.45-7.5                     |
| Range of Spindle Speeds (RPM)               | 40-1800                      |
| Spindle Bore (In.)                          | 1-1/2                        |
| Spindle Mount                               | D1-4                         |
| Spindle Taper with Sleeve                   | MT-5                         |
| Steady Rest Capacity (In.)                  | 3-1/2                        |
| Swing Over Bed (In.)                        | 14                           |
| Swing Over Cross Slide (In.)                | 8-1/5                        |

|                                |        |
|--------------------------------|--------|
| Swing Through Gap (In.)        | 20     |
| Tailstock Spindle Travel (In.) | 4-3/4  |
| Taper in Tailstock Spindle     | MT-3   |
| Warranty                       | 2 Year |
| Weight (Lbs.)                  | 2336   |
| Width of Bed (In.)             | 10-1/5 |
| Gross Weight                   | 2336.0 |

