



# JTM-1050 Mill With 3-Axis ACU-RITE G-2 MILLPWR CNC

## Product Images

---



## Short Description

---

JTM-1050 Mill With 3-Axis ACU-RITE G-2 MILLPWR CNC

## Additional Information

---

Stock Number	JT9-690940
CNC Package	ACU-RITE MILLPWR® G2
Collet Capacity	1/8 - 7/8
Distance Spindle to Column (Max.) (In.)	26
Max Distance Spindle to Table (In.)	19
Model Number	JTM-1050 CNC G2
Motor (HP)	3 HP, 230/460V, 3Ph
Number of Axis	3
Overall Dimensions (L x W x H) (In.)	96 x 69 x 87
Prop 65	Cancer and Reproductive Harm
Quill Diameter (In.)	3-3/8
Quill Down Feed Rates (IPR)	.0015 - .003 - .006
Range of Spindle Speeds (RPM)	70 - 3,800
Spindle Taper (In. x TPI)	R-8
Spindle Travel (In.)	5
Style (Type)	CNC
T-Slot Centers (In.)	2-1/2
Table Cross Travel (In.)	15-1/4
Table Longitudinal Travel (In.)	35
Table Size (L x W) (In.)	10 x 50
Travel of Knee (In.)	14-1/4
Travel of Ram (In.)	20-1/2
Warranty	2 Year
Weight (Lbs.)	3200
Work Table Weight Capacity (Lbs.)	720

Gross Weight

3500.0

