



JTM-1 Mill With ACU-RITE 203 DRO

Product Images



Short Description

JTM-1 Mill With ACU-RITE 203 DRO

Additional Information

| | |
|--|------------------------------|
| Stock Number | JT9-690244 |
| Collet Capacity | 1/8 - 7/8 |
| Distance Spindle to Column (Max.) (In.) | 19 |
| Max Distance Spindle to Table (In.) | 17-1/2 |
| Model Number | JTM-1 |
| Motor (HP) | 2 HP, 230V, 3Ph |
| Number of Axis | 2 |
| Number of Spindle Speeds | 16 |
| Overall Dimensions (L x W x H) (In.) | 57 x 64 x 82 |
| Prop 65 | Cancer and Reproductive Harm |
| Quill Diameter (In.) | 3-3/8 |
| Quill Down Feed Rates (IPR) | .0015 - .003 - .006 |
| Range of Spindle Speeds (RPM) | 80 - 5,440 |
| Spindle Taper (In. x TPI) | R-8 |
| Spindle Travel (In.) | 5 |
| Style (Type) | Step Pulley R8 |
| T-Slot Centers (In.) | 2-1/2 |
| Table Cross Travel (In.) | 12-1/2 |
| Table Longitudinal Travel (In.) | 23-7/8 |
| Table Longitudinal Travel With Powerfeed (In.) | 20-2/7 |
| Table Size (L x W) (In.) | 9 x 42 |
| Travel of Knee (In.) | 14-1/2 |
| Travel of Ram (In.) | 13-3/8 |
| Warranty | 2 Year |

| | |
|-----------------------------------|--------|
| Weight (Lbs.) | 2200 |
| Work Table Weight Capacity (Lbs.) | 550 |
| Gross Weight | 2200.0 |

