




EVS-949 Mill with 2-Axis ACU-RITE 303 DRO and X, Y, Z-Axis JET Powerfeeds

Product Images



HAND SCRAPED WAYS FOR GREATER OIL RETENTION AND SMOOTH MOVEMENTS

Short Description

EVS-949 Mill with 2-Axis ACU-RITE 303 DRO and X, Y, Z-Axis JET Powerfeeds

Additional Information

| | |
|---|------------------------|
| Stock Number | JT9-894335 |
| Amperage Draw @ 230V 3Ph | 18 |
| Collet Capacity | 1/8 - 7/8 |
| Distance Spindle to Column (Max.) (In.) | 21-2/5 |
| Max Distance Spindle to Table (In.) | 18-3/4 |
| Model Number | ETM-949EVS |
| Motor (HP) | 3 HP, 230V, 3 Ph |
| Number of Axis | 2 |
| Overall Dimensions (L x W x H) (In.) | 68 x 63 x 84 |
| Prop 65 | Cancer |
| Quill Diameter (In.) | 3-3/8 |
| Quill Down Feed Rates (IPR) | 0.0015 - 0.003 - 0.006 |
| Range of Spindle Speeds (RPM) | 60 - 5,000 |
| Spindle Taper (In. x TPI) | R-8 |
| Spindle Travel (In.) | 5 |
| Style (Type) | Variable Speed |
| T-Slot Centers (In.) | 2-1/2 |
| Table Cross Travel (In.) | 12 |
| Table Longitudinal Travel (In.) | 36 |
| Table Size (L x W) (In.) | 9 x 49 |
| Travel of Knee (In.) | 16 |
| Travel of Ram (In.) | 14 |
| Warranty | 3 Year Elite |
| Weight (Lbs.) | 2300 |
| Work Table Weight Capacity (Lbs.) | 550 |

Gross Weight

2450.0

